


Correlation Between Body Composition, Sarcopenia, And Cognitive Function In Individuals With Alzheimer's Disease


Jessica A. G. Tosatti¹, Aline S. Martins¹, Sara P. Haddad¹, Beatriz K. R. Silva², Fabiana M. S. Tameirao², Jessica D. Pereira², Filipe F. Carvalho³, Gabriela E. T. Pereira³, Maria C. S. Vieira³, Elisa P. F. Resende¹, Maira T. Barbosa¹, Karina B. Gomes², Paulo Caramelli¹

¹Departamento de Clínica Médica, Universidade Federal de Minas Gerais, Belo Horizonte, Brazil, ²Departamento de Análises Clínicas e Toxicológicas, Universidade Federal de Minas Gerais, Belo Horizonte, Brazil, ³Faculdade de Ciências Médicas de Minas Gerais, Belo Horizonte, Brazil.


INTRODUCTION



METHODS



RESULTS



CONCLUSIONS

- The findings demonstrate consistent correlations between muscle mass, physical performance, and global cognitive function in individuals with AD.
- These results support the relevance of the muscle-brain axis and underscore the importance of integrating assessments of sarcopenia and physical performance into the clinical and epidemiological evaluation of individuals with AD.

REFERENCES

- CARVALHO VA, CARAMELLI P. Brazilian adaptation of the Addenbrooke's Cognitive Examination-Revised (ACE-R). *Dement Neuropsychol*. 2007 Apr-Jun;1(2):212-216.
- TOLEA, Magdalena; GALVIN, James. Sarcopenia and impairment in cognitive and physical performance. *Clinical Interventions in Aging*, v. 1, n. 10, p. 663-671, mar. 2015. Informa UK Limited.
- YE, Chaojie *et al*. Causal associations of sarcopenia-related traits with cardiometabolic disease and Alzheimer's disease and the mediating role of insulin resistance: A Mendelian randomization study. *Aging Cell*, v. 22, n. 9, p. 1-14, 5 jul. 2023. Wiley.
- YUAN, Shuai; LARSSON, Susanna C. Epidemiology of sarcopenia: prevalence, risk factors, and consequences. *Metabolism*, v. 144, p. 155533, jul. 2023. Elsevier BV.

CONTACT AND FUNDING

