




Tunable Structural and Optoelectronic Properties of Doped and Undoped Ternary 2-D Transition Metal Dichalcogenides for Photovoltaic Applications


Sarika Chandoo, Richard A. Taylor



Introduction

- Ternary TMDs are capable of stoichiometric variation, band gap tuning and phase transitions.
- Most TMDs are underexplored and there exists much opportunity for research in this field.

Optical Properties



- A- Te composition dependent PL spectrum of monolayer 2H phase $WS_{2(1-x)}Te_{2x}$ alloys.



- B- Optical bandgap values of 2H and 1T' phase $WS_{2(1-x)}Te_{2x}$ alloys.
- C- Absorption spectrum and Tauc plot of CWS (1.8eV) matches well with the solar spectrum.
- Suitable candidates for photovoltaic applications.

The University of the West Indies, St. Augustine

Structural Tuneability

P- Cu_2WS_4 to I- Cu_2WS_4 Transition

- Low Temperature and Low Pressure: P- Cu_2WS_4
- High Temperatures and High Pressure: I- Cu_2WS_4
- Colloidal Synthesis : I- Cu_2WS_4



2H to 1T' Polytype Transition

Changing composition of X in $WS_{2(1-x)}Te_{2x}$ alloy system.

Our Protocol





Figure: Schematic of AA-CVD



Schematic showing HI protocol

- AA-CVD and HI method are facile methods to introduce and control dopants into ternary systems.
- Investigation of diethyldithiocarbamates and xanthates as precursors.
- Manipulation of reaction parameters.
- Obtain favourable structural diversity and optoelectronic properties.

- Crossland, C. J.; Hickey, P. J.; Evans, J. S. The Synthesis and Characterisation of Cu_2MX_4 (M = W or Mo; X = S, Se or S/Se) Materials Prepared by a Solvothermal Method. *Journal of Materials Chemistry* **2005**, 15 (34), 3452.
- Gulen, M.; Sarilmaz, A.; Patir, I. H.; Ozel, F.; Sonmezoglu, S. Ternary Copper-Tungsten-Disulfide Nanocube Inks as Catalyst for Highly Efficient Dye-Sensitized Solar Cells. *Electrochimica Acta* **2018**, 269, 119–127.
- Wang, Z.; Sun, J.; Wang, H.; Lei, Y.; Xie, Y.; Wang, G.; Zhao, Y.; Li, X.; Xu, H.; Yang, X.; Feng, L.; Ma, X. 2H/1T' Phase $WS_{2(1-x)}Te_{2x}$ Alloys Grown by Chemical Vapor DEPOSITION with Tunable Band Structures. *Applied Surface Science* **2020**, 504, 144371.