




1. Abstract


With the recent recognition of conformation entropy following the discovery of Imatinib, there has been a growing interest in taking the approach of congruent conformation induction between a protein and its ligand for developing specific drug leads. We investigated this conformational induction using C-F bond as a tuning handle on (-)-balanol as a model system for enhanced selectivity toward AGC protein kinases. (-)-Balanol **1**, a fungal metabolite, is a potent protein kinase A (PKA) and PKC competitive ATP mimic. However, the inhibitor displays limited selectivity across the AGC superfamily. In this work, four fluorinated balanoids showed that fluorination in benzophenone (triphosphate subsite mimic) retains affinity for prototype PKA with enhanced selectivity (>600-fold) in balanoid **1b**.

2. Background




3. Experimental


I. Synthesis of F-benzophenones (triphosphate subsite mimic)




II. Synthesis of azepane core



III. Synthesis of fluorinated balanoids



4. Results



5. References

- Schindler, T.; Bornmann, W.; Pellicena, P.; Miller, W. T.; Clarkson, B.; Kuriyan, J. *Science* **2000**, 289, 1938-42.
- Kulanthaivel, P.; Hallock, Y. F.; Boros, C.; Hamilton, S. M.; Janzen, W. P.; Ballas, L. M.; Loomis, C. R.; Jiang, J. B.; Katz, B. *Journal of the American Chemical Society* 1993, 115, 6452-6453..
- O'Hagan, D. *Chemical Society Reviews* **2008**, 37, 308-319.
- Sameem, B.; Karuso, P.; Liu, F. *Tetrahedron Letters* **2022**, 113, 154245.
- Liu, F.; Sameem, B. *Targets in Heterocyclic Systems* **2021**, 25, 502-516
- Sameem, B.; Liu, F. Harnessing Fluorine-Protein Contacts for Enhanced Selectivity and Conformational Control by Intramolecular H-bonding Interactions; *ACS Med Chem Letters* (in prep)
- Sameem, B.; Karuso, P.; Liu, F. Synthesis and Fluorine Conformational Tuning Analysis Fluorinated Benzophenones; *Molecules* (in prep)