






osseo.org



Management of Adequate Lingual Vestibular Depth for Implant Supported Over-dentures: Techniques and Approaches

Mohseni Salehimonfared; Seyedhossein, Moravej; Asal, Shokri; mohammad

Department of Periodontology, Tehran University of Medical Sciences, Tehran, Iran Email:salehimo@tums.ac.ir




INTRODUCTION

In patients who have severe ridge resorption, implant supported over-denture is a good treatment plan for restore mastication. After severe ridge resorption, location of muscle attachments move coronally and the results will be shallow vestibular depth in buccal side, lingual side or both.


In this situation, keratinized mucosal width is often inadequate and Free Gingival Graft is a predictable treatment approach for increasing vestibular depth and keratinized tissue width in buccal side. But up to now, there is not predictable and well-documented approach for soft tissue augmentation and deepening of lingual vestibular depth.

**Method,
Case#1**


A 70 year old man with 3 implants was referred to department of Periodontics , Tehran University of Medical sciences. Keratinized mucosa width around one implant in buccal was inadequate and also in all sites in lingual . An L shape free gingival graft was harvested and fixed around implants and then because of shallow vestibular depth in lingual region , vestibular deepening was done with button technique.



Case 1 : Baseline
edentulous patient



Implant placement




coronally position and high floor
of the mouth after suturing




Lingual camping tent defect shape
after implantation




L shape free gingival graft




FGG was fixed around implants



Lingual view after free gingival
graft



lingual vestibular deepening was
done with button technique.



horizontal mattress sutures
(BUTTON TEC)



lingual sulcoplasty with button
technique

**Method,
Case#2**


A 70 year old man with 3 implants in anterior mandible with inadequate keratinized tissue width and vestibular depth in labial and lingual. In the first step , free gingival graft was fixed in buccal area and in next session free gingival graft was fixed in lingual side and simultaneous button technique for lingual vestibular deepening was done.

Method, Case#3

A 51 year old woman with inadequate buccal keratinized mucosa width around 3 implants in mandible. A free gingival graft with accordion technique was fixed in buccal and lingual side and then deepening of lingual vestibular depth was done with button technique.



Case 2 :Baseline edentulous patient



In first step , FGG was fixed in buccal




1-month follow-up after FGG




Oral mucosa of the mouth floor




Oral mucosa of the mouth floor covered the healing abutments



Lingual suprapariosteal flap for sulcoplasty



Epithelium removal by bur for FGG




free gingival graft was fixed in lingual side




simultaneous button technique for lingual vestibular deepening




lingual sulcoplasty and button technique with free gingival graft



Case 3 :Baseline edentulous patient




X-Ray view




Lingual suprapariosteal flap for sulcoplasty

Method,
Case#4


: A 58 year old woman with 2 implants in anterior mandible. Keratnized mucosal width around one implant was inadequate and vestibular depth in lingual area was inadequate. A free gingival graft was fixed around one implant and button technique was done.




FGG design for graft simultaneously in the buccal and lingual areas




FGG design to increase the width of keratinized gingiva simultaneously in the buccal and lingual areas



Fixation of the graft and lingual sulcoplasty using horizontal mattress sutures and button-suture technique



Button-suture technique




1-month follow-up after FGG and lingual sulcoplasty


A free gingival graft with accordion technique was fixed

simultaneous button technique for lingual vestibular deepening


2-months follow-up after FGG and lingual sulcoplasty.



Ulcers on the floor of the mouth around the implant following the use of overdentures




Lingual suprapariosteal flap for sulcoplasty



Lingual suprapariosteal flap for sulcoplasty and FGG



Harvesting free gingival graft



Fixing FGG in both buccal and lingual areas at the same time


Case 4: Ulcers on the floor of the mouth around the implant

Lingual suprapariosteal flap for sulcoplasty

Lingual suprapariosteal flap for sulcoplasty and FGG

Harvesting free gingival graft


A free gingival graft was fixed around one implant



FGG was fixed around implant and button technique was done.



button-suture technique and sterile gas with tetracycline ointment



Dressing after suture



2-months follow-up after FGG and lingual sulcoplasty.



2-month follow-up after FGG and lingual sulcoplasty.

RESULTS

Free gingival graft is predictable approach for increasing keratinized mucosal width and vestibular deepening in buccal area . According to the these 4 cases , lingual sulcoplasty with button technique with or without free gingival graft can be a new approach for vestibular deepening in lingual area.

CONCLUSION

lingual sulcoplasty with button technique with or without free gingival graft can be a new approach for vestibular deepening in lingual area.

REFERENCES

1. Mohseni Salehi Monfared SH, Shirani G, Moslemi N, Noori F, Raei A. Reconstruction of lingual sulcus in a severely atrophic mandible using a modified approach as a pre-prosthetic surgery: Case series. *Clin Case Rep.* 2022;10:e05500. doi:10.1002/ccr3.5500
2. Zucchelli G, Tavelli L, McGuire MK, et al. Autogenous soft tissue grafting for periodontal and peri-implant plastic surgical reconstruction. *J Periodontol.* 2020;91(1):9-16.
3. Mishra SK, Chowdhary R. Patient's oral health-related quality of life and satisfaction with implant supported overdentures-a systematic review. *J Oral Biol Craniofac Res.* 2019;9(4):340-346.
4. Trauner R. Alveoloplasty with ridge extensions on the lingual side of the lower jaw to solve the problem of a lower dental prosthesis. *Oral Surg Oral Med Oral Pathol.* 1952;5(4): 340-346.
5. Misch C. Implant overdentures relieve discomfort for the edentulous. *Dentist (Waco, Tex).* 1989;67(1):37-38.